

Rubber bands stock range and production capabilities

p. 1	Standard® natural rubber bands
p. 2	Coloured rubber bands
p. 3	Standard® rubber bands for the retail market
p. 3	Finger cones
p. 4	Single line printed rubber bands
p. 4	Continuous printed rubber bands
p. 4	Coloured synthetic elastic bands
p. 5	High U.V. resistance EPDM rubber bands
p. 6, 7	Anchor bands



Thailand, the first natural rubber exporter, 95% of this volume comes from family farms of less than 8 ha

Standard® natural rubber bands



Features and benefits

80% rubber content. This high rubber content makes it the best value for money and an excellent count per kilo

Clean finish for a more comfortable use, pleasant touch, dust-free


Recommended for quick application and repeated use

Elongation up to 650% / breaking strength 40N per 1mm²

Custom manufacturing from 15 to 420 mm in length



A	B	C	D	Stock list and packaging					
Diameter mm	Length mm	Width mm	Thickness mm	Bag 1 kg	Window box 500g	Window box 100g	Window box 50g	Bag 10 kg	± Pcs/kg
Untis per carton ->				10	10	40	50	1	
19	30	1,5	1		B320010				8900
26	40	1,5	1	B100012	B320012		B330012		6667
29	45	1,5	1	B100013	B320013				5926
32	50	1,5	1	B100014	B320014		B330014		5333
38	60	1,5	1	B100016	B320016	B340016	B330016		4444
51	80	1,5	1	B100018	B320018	B340018	B330018	B120018	3333
58	90	1,5	1	B100019	B320019	B340019			2963
64	100	1,5	1	B100022	B320022	B340022	B330022		2667
76	120	1,5	1	B104001					2222
96	150	1,5	1		B320024		B330024		1778
26	40	2,5	1	B100028					4000
38	60	2,5	1		B320031				2667
51	80	2,5	1	B100032	B320032				2000
58	90	2,5	1		B320033				1778
64	100	2,5	1	B100034	B320034				1600
77	120	2,5	1	B100036	B320036				1333
96	150	2,5	1		B320038				1067
51	80	5	1	B100063					1000
58	90	5	1	B100064	B320064	B340064			889
70	110	5	1		B320066				727
90	140	5	1	B100068	B320068		B330068		571
115	180	5	1	B105604	B325604				444
64	100	7,5	1		B320075	B340075			533
77	120	7,5	1	B100077	B320077	B340077			444
90	140	7,5	1		B320078				357
77	120	10	1	B100087	B320087	B340087			333
115	180	13	1	B1018013					171
115	180	16	1		B320107				139
147	230	15	1,5		B320109				72



Coloured rubber bands



Features and benefits

60% rubber content

For industrial applications where a strong elastic with superior tensile strength is required


Tying cut flowers

Identification purposes in industry and horticulture

Available from stock in black colour with UV resistance - quality developed for the horticulture sector

Elongation up to 620% / Breaking strength 20N per 1mm²

Special production: light blue, navy blue, mauve, pastel green, dark green, pastel red, dark red, pink, light brown, dark brown, orange, yellow, grey and black



A	B	C	D	Stock list	
Diamètre mm	Length mm	Width mm	Thickness mm	10 x 1 kg per carton	± Pcs/kg
Green					
38	60	1,5	1,3	N100016	2907
51	80	1,5	1,3	N100018	2180
58	90	3	1,3	N100033	969
77	120	3	1,3	N100036	727
White					
29	45	1,5	1,3	D100013	3876
38	60	1,5	1,3	D100016	2907
51	80	1,5	1,3	D100018	2180
58	90	1,5	1,3	D100019	1938
77	120	1,5	1,3	D104001	1454
51	80	3	1,3	D100032	1090
58	90	3	1,3	D100033	969
77	120	3	1,3	D100036	727
Blue					
51	80	1,5	1,3	L100018	2180
114	180	1,5	1,3	L101801	969
Yellow					
51	80	1,5	1,3	P100018	2180
Black UV resistant					
140	220	2,5	2	K32220225	337
Made from synthetic rubber					
Available on demand in several colours and dimensions					
Low minimum production quantity required with short lead times					

Standard® rubber bands for the retail market



Features and benefits

- 60% rubber content
- Gloss finish, bright colours
- Can be produced with customers own header labels
- Selection of attractive colors and dimensions most commonly used for everyday applications
- Ideal for home, school or office use

A	B	C	D	Stock list		
Diameter mm	Length mm	Width mm	Thickness mm	Reference	Colour	Packaging
45/67	70/90	1,5/2	1	Q223701	Assorted	Bag 50 g + header
45/67	70/90	1,5/2	1	Q333701	Assorted	50 Window boxes 50g
45/67	70/90	1,5/2	1	Q343700	Assorted	40 Window boxes 100g
Assorted (5 popular dimensions)				Q523700	Assorted	Bags 100 g + header
90	140	8	1	B23502000	Natural	Bag 50 g + header



Finger cones

Features and benefits

- Superior quality, good life expectancy
- Easy to use thanks to well-defined pins
- For assembly work in office and industry

A	Stock list		
Diameter mm	Reference	Colour	Packaging
14	J400000	Red	20 pieces per bag
15	J400010	Green	20 pieces per bag
17	J400001	Blue	20 pieces per bag
19	J400002	Yellow	20 pieces per bag
22	J400003	Pink	20 pieces per bag



Single line printed rubber bands

Features and benefits

Minimum order quantities 5000 pieces, and quick production time

Up to 3 colour print, clear and efficient

Perfect for promoting special offers, advertising, events, exhibition hands-outs, packaging promotions, gift wraps

Your choice of 13 background colours from our range: white, black, dark or light pink, red, dark or light blue, orange, dark or light yellow, purple, light or dark green



Continuous printed rubber bands



Features and benefits

One colour print

Available colours: Light blue, navy blue, mauve, pastel green, dark green, pastel red, dark red, pink, light brown, dark brown, orange, yellow, grey and black

Product identification in horticulture and industry



Coloured synthetic elastic bands

Features and benefits

Latex free and UV-resistant

A selection of 13 vibrant colours available, including fluorescent shades and transparent effect

Low minimum production quantity required with short lead times



High U.V. resistance EPDM rubber bands


Characteristics

- Vulcanised EPDM synthetic rubber
- Cost efficient – reusable, easy to place and remove with a firm grip
- High UV resistance with outstanding water, steam, heat, oxidation, ozone and outdoor durability
- High strength and elasticity rubber band with high resistance to degradation under normal storage, use and handling conditions



Specific applications

- The high UV resistance bands are used for binding, fastening, grouping, and holding goods in industries, agriculture, aquaculture, and offices
- The EPDM bands are popular in the aquaculture sector for its hard conditions resistance
- To handle and fasten oyster crates, lobster pincers and other crustaceans
- EPDM quality bands perfectly suit outdoor applications where higher durability on use is required
- For long-term storage of documents and files, and other house-related storage applications
- Bind, organise and protect your gear



EPDM Elastic anchor bands with high UV resistance

Characteristics

- Vulcanised EPDM synthetic rubber with an anchor shape tie
- Cost efficient – reusable, easy and quick to place and remove
- High UV resistance with outstanding resistance to water, steam, heat, oxidation and ozone
- Excellent outdoor durability up to 5 years on use
- 300% elasticity

Applications

- Holding tutors and frost covers in vineyards
- Tying and guiding trellised fruit trees
- Accompanies the growth of the plant without strangling or injuring it
- Grouping and holding outdoor tubular devices for irrigation



Coloured elastic anchor bands made from natural rubber

Characteristics

- Natural rubber bands with an anchor shape tie
- High elasticity and sustainability product with polyvalent uses for industries
- Recommended for quick application and repeated uses with a high count per kilo making it the best value for money
- Photodegradable over time for eco-friendly outdoor use
- Available in several colours: natural, yellow, red, blue, green and orange

Applications

- Grouping and holding cables in the automotive industry
- Fastening and identifying electric wires and cables

